## CLAIMS

## What Is Claimed Is:

1. A grass guard, comprising:

an inner sleeve:

a top surface extending radially from said sleeve; and

an outer wall extending from said top surface.

- The guard of Claim 1, wherein said inner sleeve is defined by a top end and a bottom end and further forms a bore therebetween, said top surface extending from said bottom end.
- The guard of Claim 2, wherein said top surface and said outer wall meet to form a top ridge.
- The guard of Claim 3, wherein said top surface is sloped downward from said top ridge to said bottom end.
- The guard of Claim 4, wherein said inner sleeve is further formed from a plurality of tabs extending upwardly from said bottom end.
- 6. The guard of Claim 5, wherein said outer wall has a circular cross section.
- The guard of Claim 5, wherein said outer wall comprises a flat portion and a curved portion.
- The guard of Claim 7, wherein said outer wall further comprises a second flat portion.
- The guard of Claim 8, wherein said second flat portion is at a ninety degree angle to said first flat portion.

10. A device for attaching to below-ground sprinklers, said sprinklers having a subterranean can defining an outer circumference and a sprinkler assembly attached thereto, the device comprising:

an inner sleeve defining a bore formed therein to cooperate with said outer circumference such that said device can be slipped over said can;

a top surface extending radially from said sleeve; and an outer wall extending from said top surface.

- 11. The guard of Claim 10, wherein said inner sleeve is defined by a top end and a bottom end and further forms a bore therebetween, said top surface extending from said bottom end.
- The guard of Claim 11, wherein said top surface and said outer wall meet to form a top ridge.
- 13. The guard of Claim 12, wherein said top surface is sloped downward from said top ridge to said bottom end.
- 14. The guard of Claim 13, wherein said inner sleeve is further formed from a plurality of tabs extending upwardly from said bottom end.
- 15. The guard of Claim 14, further comprising means for clamping said inner sleeve to said sprinkler.
- 16. The guard of Claim 8, wherein said second flat portion is at a ninety degree angle to said first flat portion.
- 17. A combination sprinkler and grass guard comprising:

a sprinkler defined by a can and a sprinkler assembly attached thereto, said can defining an outer circumference; and

a guard attached to said sprinkler, said guard defined by an outer wall creating an interstitial gap around at least a portion of the outer circumference of said sprinkler.

18. The combination of Claim 17, wherein said guard comprises:

an inner sleeve defining a bore formed therein to cooperate with said outer circumference such that said guard can be slipped over said can;

a top surface extending radially from said sleeve; and an outer wall extending from said top surface.

- 19. The combination of Claim 18, wherein said inner sleeve is defined by a top end and a bottom end and further forms a bore therebetween, said top surface extending from said bottom end.
- 20. The guard of Claim 19, wherein said top surface is sloped downward from said top ridge to said bottom end.